L Number	Hits	Search Text	DB	Time stamp
-	635	((400/$).CCLS.) and (discharg$3 near roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 10:52
-	307	(((400/$).CCLS.) and (discharg$3 near roller)) and plurality	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 10:58
-	42	((((400/$).CCLS.) and (discharg$3 near roller)) and plurality) and (plurality near roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 11:01
-	5	(((((400/$).CCLS.) and (discharg$3 near roller)) and plurality) and (plurality near roller)) and precision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 11:13
-	548	(400/625).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:46
-	1717	(400/636$).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:46
-	1216	(400/636).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:46
-	859	(400/637$).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:46
-	233	(400/638$).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:46
-	594	(400/639$).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:46
-	52	(400/640$).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:47
-	301	(400/641).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:47

C:\APPS\EAST\Workspaces\09900949.wsp

-	5	((400/$).CCLS.) and (roller near precision)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:48
-	5	((271/$).CCLS.) and (roller near precision)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:48
-	4	(((400/636$).CCLS.) or ((400/637$).CCLS.) or ((400/638$).CCLS.) or ((400/639$).CCLS.) or ((400/640$).CCLS.) or ((400/641).CCLS.)) and (roller near precision)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:49
-	435	kawaguchi.in. and canon.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:09
-	79	kawaguchi-koichiro.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:16
-	6	kawaguchi-koichiro.in. and precision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:19
-	518	(b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:25
-	228	((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and roller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:25
-	132	((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and machin$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:20
-	86	(((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and roller) and (((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and machin$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:21
-	7	(((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and roller) and (precision near2 roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:24
-	3	(((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and roller) and (precision near2 machin$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:24

-		5	((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and (precision near2 machin$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:26
-		2	(((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and (precision near2 machin$3)) not ((((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and roller) and (precision near2 machin$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:26
-		1	((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and precision) and (precision near2 diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:28
-		1227	precision near2 diameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:28
-		234	(precision near2 diameter) and (print$3 or record$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:29
-		113	((precision near2 diameter) and (print$3 or record$3)) and (roller or cylinder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:32
-		31	((precision near2 diameter) and (print$3 or record$3)) and ((roller or cylinder) near3 precision)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:40
-		661	(b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and (precision or tolerance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/18 15:46
-		9	((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and (precision or tolerance)) and ((precision or tolerance) near2 (diameter or surface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/18 15:48
-		221	(((((400/$).CCLS.) or ((271/$).CCLS.) or ((347/$).CCLS.)) and (precision or tolerance)) and ((precision or tolerance) near2 (diameter or surface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/18 15:49
-		332	(((400/$).CCLS.) or ((271/$).CCLS.) or ((347/$).CCLS.)) and ((ground grinding polish$3 tolerance sandblasting sand-blasting roughness smoothness rms (root adj mean$1-square$2) (surface adj finish) profilometer) near3 (roll$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/18 16:14

-		8	(((((400/$).CCLS.) or ((271/$).CCLS.) or ((347/$).CCLS.)) and (precision or tolerance)) and ((precision or tolerance) near2 (diameter or surface))) and ((((400/$).CCLS.) or ((271/$).CCLS.) or ((347/$).CCLS.)) and ((ground grinding polish$3 tolerance sandblasting sand-blasting roughness smoothness rms (root adj mean$1-square$2) (surface adj finish) profilometer) near3 (roll$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/18 16:14
-		9	(((((400/$).CCLS.) or ((271/$).CCLS.) or ((347/$).CCLS.)) and (precision or tolerance)) and ((precision or tolerance) near2 (diameter or surface))) and ((grinding polish$3 tolerance sandblasting sand-blasting roughness smoothness rms (root adj mean$1-square$2) (surface adj finish) profilometer) near3 (roll$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 10:38
-		138700	((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:02
-		11863	b41j013/00.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:03
-		23018	b41j002/01.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:03
-		352	roller near precision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:03
-		214	((grinding polish$3 tolerance sandblasting sand-blasting roughness smoothness rms (root adj mean$1-square$2) (surface adj finish) profilometer) near3 (roll$2)) and (((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:04
-		2899	(((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:10
-		35	((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (load adj torque)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:05
-		168	((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (leaf adj spring)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:53
-		105	((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (friction adj coefficient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:12

		19	(((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (friction adj coefficient)) and (((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (leaf adj spring)) or (((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (clutch adj spring)) or (((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (compression adj coil adj spring)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:33
-		10	(((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (load adj torque)) and ((((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (leaf adj spring)) or (((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (clutch adj spring)) or (((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (compression adj coil adj spring)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:33
-		40	((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (compression adj coil adj spring)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:54
-		3	(((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (leaf adj spring)) and ((leaf adj spring) near3 discharge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 11:54
-		54	((((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.)) and (discharge near2 roller)) and (clutch adj spring)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 14:21
-		55	(((grinding polish$3 tolerance sandblasting sand-blasting roughness smoothness rms (root adj mean$1-square$2) (surface adj finish) profilometer) near3 (roll$2)) and (((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.))) and discharge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 14:23
-		9	(((grinding polish$3 tolerance sandblasting sand-blasting roughness smoothness rms (root adj mean$1-square$2) (surface adj finish) profilometer) near3 (roll$2)) and (((400/$).CCLS.) or ((347/$).CCLS.) or ((271/$).CCLS.))) and (discharge near2 roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/20 14:23
-		10	(((400/$).CCLS.) and (roller near precision)) or (((271/$).CCLS.) and (roller near precision))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 08:51
-		51	(((400/$).CCLS.) and (discharg$3 near roller)) and metal and resin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 09:04
-		6649	(492/$).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 10:49

C:\APPS\EAST\Workspaces\09900949.wsp

-	250	((492/$).CCLS.) and precision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 10:50
-	46	(((492/$).CCLS.) and precision) and (((492/$).CCLS.) and print$3) and (((492/$).CCLS.) and feed$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 11:20
-	224	((347/104).CCLS.) and (precision or accuracy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 11:20
-	121	(((347/104).CCLS.) and (precision or accuracy)) and discharge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 11:21
-	49	(((347/104).CCLS.) and (precision or accuracy)) and (discharge near roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 13:17
-	407	(271/314).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 13:18
-	1078	(271/272).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 13:17
-	1445	((271/314).CCLS.) or ((271/272).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 13:18
-	12	(((271/314).CCLS.) or ((271/272).CCLS.)) and (precision or accuracy) and (discharge near roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 13:18
-	298	((grinding polish$3 tolerance sandblasting sand-blasting roughness smoothness rms (root adj mean$1-square$2) (surface adj finish) profilometer) near3 (roll$2)) and discharge and (precision or accuracy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 13:27
-	1522	(b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and (precision or accuracy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 13:41
-	81	((b41j013/00.ipc. or b41j002/01.ipc. or b65h029/20.ipc.) and (precision or accuracy)) and (discharge near roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 13:42

C:\APPS\EAST\Workspaces\09900949.wsp